



ALLESTIMENTI DEDICATI A SISTEMI DI VIDEOISPEZIONE





VIVA X

ipek



VIVAX

PEK



VIVAX

PEK



VIVAX

PEK



VIVAX

iPEK



VIVAX

PEK



VIVAX

iPEK



VIVAX

IPEK



VIVAX

IPEK



VIVAX

OPEK



VIVAX

OPEK



VIVAX

OPEK



The VIVAX logo features the word "VIVAX" in a bold, sans-serif font. The letters "V", "I", "V", and "A" are colored blue, while the letter "X" is red. A thick blue curved line starts from the bottom left, goes up to the middle of the "V", then down to the middle of the "A", and finally up to the right side of the "X".

iPEK



VIVAX

OPEK

RED300SAT II ELEVATOR

- ✓ Offers a new second view angle at operating water levels higher than 20cm
- ✓ Flexible and fast mounting thanks to QCD (Quick Change Design) on the front or rear half of the crawler

EGG-SHAPED-ADAPTER

- ✓ One single adaptor to fit all pipe situations
- ✓ Don't get stuck anymore, overcome junctions thanks to the new skids
- ✓ Mount individually according to your needs thanks to quick release and QCD

CAMERA HEAD

- Pan and tilt camera **PTP50**
- ✓ Application range DN60 - DN300
 - ✓ High pipe bend capability of 90° from DN75
 - ✓ Suitable for pipe collar inspection

WHEELS & GUIDE PIPES

QCD wheels (rubber, ELKA, HMS)
Guide pipes in different lengths to position the SAT camera at the lateral

CAMERA HEAD

- Axial camera **AC40**
- ✓ Application range DN50 - DN200
 - ✓ Service friendliness due to modular design
 - ✓ Constant upright picture







